

EU Declaration of Conformity of Recreational Craft with the Design, Construction and Noise Emission requirements of Directive 2013/53/EU

(To be completed by manufacturer or if mandated, authorised representative)

Name of recreational craft manufacturer: DECATHLON SA

Address: 4 boulevard de mons BP 299

Town: VILLENEUVE D'ASCQ

Post Code: 59650

Country: FRANCE

Name of authorised representative (if applicable):

Address:

Town:

Post Code:

Country:

Module used for design and construction assessment: ☐ A ☒ A1 ☐ B+C ☐ B+E ☐ B+F ☐ G ☐ H

Name of Notified Body for design and construction assessment (if applicable): NAUTICA GIORDANO

Address: Via Rossini, 2

Town: BELLARIA IGEA MARINA (RN) Post Code: 47814 Country: ITALY ID Number: 0407

Notified Body certificate1 number (if applicable): MODULE A1 - STABILITY AND BUOYANCY 0407-RCD-1696 (IG-043-2021)

Date: 17/01/2021

Module used for noise emission assessment (if applicable): ☐ A ☐ A1 ☐ G ☐ H

Name of Notified Body for noise emission assessment (if applicable):

Address:

Town:

Post Code:

Country:

ID Number:

Notified Body certificate1 number (if applicable):

Date:

Other Community Directives applied:

DESCRIPTION OF RECREATIONAL CRAFT:

You can find the watercraft identification number of your boat written on the information plate, in the list of the annex N°1 at the end of this document

Brand name of the Recreational Craft: CAPERLAN

Model or Type: VENTUS 320

Type of construction:

☐ Rigid ☒ Inflatable ☐ Rigid-Inflatable (RIB)

Type of hull

☒ Monohull ☐ Multihull

Hull construction material

☐ Aluminium, aluminium alloys ☐ Moulded Fibre Reinforced Plastic
☐ Steel, steel alloys ☐ Wood
☒ Other (specify): PVC

Recreational Craft
Design category(-ies) related to the
maximum recommended number of
persons:

Category	Number of persons	Max load (kg)
A		
B		
C	5	580
D		

Length of hull LH: 3,20m

Beam of hull BH: 1,84m

Maximum Draught T: NSm

Deck:

☐ Fully enclosed
☐ Partially protected
☒ Open

Craft main propulsion:

☐ Sail, projected sail area As: m²
☒ Human propulsion
☒ Engine/motor propulsion
☐ Other (specify):

Installed engine type (if applicable):

☐ Internal combustion, Diesel (CI)
☒ Internal combustion, Petrol (SI)
☐ Internal combustion, LPG/CNG
☒ Electric
☐ Other (specify):

Installed propulsion type (if applicable):

☒ Outboard
☐ Inboard with shaft line
☐ Z or Sterndrive
☐ Pod-drive
☐ Sail-drive
☐ Other (specify):

Integral exhaust propulsion (if applicable): Yes ☐ No ☒

Maximum Recommended engine power: 11,2 kW

Installed engine power: kW

Number of propulsion engines: 1

Maximum recommended engine mass(2): kg

This declaration of conformity is issued under the sole responsibility of the manufacturer. I declare on behalf of the manufacturer that the recreational craft mentioned above fulfils the requirements specified in Article 4 (1) and Annex I of Directive 2013/53/EU.

Name and function: Benoît SOHIER, CAPERLAN Leader
(identification of the person empowered to sign on behalf of the manufacturer or his authorised representative)

Date and place of issue (dd/mm/yyyy): 16/05/2022

Signature and title:
(or an equivalent marking)

Decathlon SA

CAPERLAN DIRECTEUR

La Lande de Jauge
Parc de Jarry 2

33612 CESTAS Cedex

Tél. : 05 56 21 07 20

Fax : 05 56 21 07 21

¹ The document may have a different name according to each module (A1: Stability and buoyancy report, B: EC type examination certificate, G: Certificate of conformity, etc.)

² For outboard powered boats only

Essential requirements (reference to relevant articles in Annex IA & IC of the Directive)	Harmonised standards Full Application	Harmonised standards Partial application, see tech. file	Other reference documents ³ Full Application	Other reference documents Partial Application, see tech. file	Other proof of conformity See technical file	Specify the harmonised ⁴ standards or other reference documents used (with year of publication like "EN ISO 8666:2002")
	<i>Tick only one box per line</i>					<i>All lines right of ticked boxes must be filled in</i>
General requirements (2)						
Principal data – main dimensions	<input checked="" type="checkbox"/>					EN ISO 8666 : 2016
Watercraft Identification Number – WIN (2.1)	<input checked="" type="checkbox"/>					EN ISO 10087 : 2019
Watercraft Builder's Plate (2.2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 14945 : 2004 - EN ISO 6185 : 2018
Protection from falling overboard and means of reboarding (2.3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 6185 : 2018
Visibility from the main steering position (2.4)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Owner's manual (2.5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 6185 : 2018
Integrity and structural requirements (3)						
Structure (3.1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 6185 : 2018
Stability and freeboard (3.2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 6185 : 2018
Buoyancy and flotation (3.3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 6185 : 2018
Openings in hull, deck and superstructure (3.4)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Flooding (3.5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 6185 : 2018
Manufacturer's maximum recommended load (3.6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 6185 : 2018
Liferaft stowage (3.7)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Escape (3.8)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Anchoring, mooring and towing (3.9)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 6185 : 2018
Handling characteristics (4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EN ISO 6185 : 2018
Engines and engine spaces (5.1)						
Inboard engine (5.1.1)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Ventilation (5.1.2)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Exposed parts (5.1.3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Outboard engine starting (5.1.4)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Fuel system (5.2)						
General – fuel system (5.2.1)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Fuel tanks (5.2.2)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Electrical systems (5.3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Steering systems (5.4)						
General – steering system (5.4.1)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Emergency arrangements (5.4.2)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Gas systems (5.5)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Fire protection (5.6)						
General – fire protection (5.6.1)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Fire-fighting equipment (5.6.2)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Navigation lights, shapes and sound signals (5.7)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Discharge prevention (5.8)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Annex I.B – Exhaust Emissions⁵	NA					
Annex I.C – Noise Emissions⁶						
Noise emissions level (I.C.1)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA
Owner's manual (I.C.2)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA

³ Such as non-harmonised standards, rules, regulations, guidelines, etc.

⁴ Standards published in EU Official Journal

⁵ See Declaration of Conformity of engine manufacturer

⁶ Only to be completed for boats with inboard engines or sterndrive engines without integral exhaust

ANNEX N°1

VENTUS 320	77	HIN KAY0229K121 / HIN KAY0230K121 / HIN KAY0231K121 / HIN KAY0232K121 / HIN KAY0233K121 / HIN KAY0234K121 / HIN KAY0235K121 / HIN KAY0236K121 / HIN KAY0237K121 / HIN KAY0238K121 / HIN KAY0239K121 / HIN KAY0240K121 / HIN KAY0241K121 / HIN KAY0242K121 / HIN KAY0243K121 / HIN KAY0244K121 / HIN KAY0245K121 / HIN KAY0246K121 / HIN KAY0247K121 / HIN KAY0248K121 / HIN KAY0249K121 / HIN KAY0250K121 / HIN KAY0251K121 / HIN KAY0252K121 / HIN KAY0253K121 / HIN KAY0254K121 / HIN KAY0255K121 / HIN KAY0256K121 / HIN KAY0257K121 / HIN KAY0258K121 / HIN KAY0259K121 / HIN KAY0260K121 / HIN KAY0261K121 / HIN KAY0262K121 / HIN KAY0263K121 / HIN KAY0264K121 / HIN KAY0265K121 / HIN KAY0266K121 / HIN KAY0267K121 / HIN KAY0268K121 / HIN KAY0269K121 / HIN KAY0270K121 / HIN KAY0271K121 / HIN KAY0272K121 / HIN KAY0273K121 / HIN KAY0274K121 / HIN KAY0275K121 / HIN KAY0276K121 / HIN KAY0277K121 / HIN KAY0278K121 / HIN KAY0279K121 / HIN KAY0280K121 / HIN KAY0281K121 / HIN KAY0282K121 / HIN KAY0283K121 / HIN KAY0284K121 / HIN KAY0285K121 / HIN KAY0286K121 / HIN KAY0287K121 / HIN KAY0288K121 / HIN KAY0289K121 / HIN KAY0290K121 / HIN KAY0291K121 / HIN KAY0292K121 / HIN KAY0293K121 / HIN KAY0294K121 / HIN KAY0295K121 / HIN KAY0296K121 / HIN KAY0297K121 / HIN KAY0298K121 / HIN KAY0299K121 / HIN KAY0300K121 / HIN KAY0301K121 / HIN KAY0302K121 / HIN KAY0303K121 / HIN KAY0304K121 / HIN KAY0305K121
	5	HIN KAY0375K121 / HIN KAY0376K121 / HIN KAY0377K121 / HIN KAY0378K121 / HIN KAY0379K121
	13	HIN KAY0380K121 / HIN KAY0381K122 / HIN KAY0382K123 / HIN KAY0383K124 / HIN KAY0384K125 / HIN KAY0385K126 / HIN KAY0386K127 / HIN KAY0387K128 / HIN KAY0388K129 / HIN KAY0389K130 / HIN KAY0390K131 / HIN KAY0391K132 / HIN KAY0392K133
	45	HIN KAY0001L121 / HIN KAY0002L121 / HIN KAY0003L121 / HIN KAY0004L121 / HIN KAY0005L121 / HIN KAY0006L121 / HIN KAY0007L121 / HIN KAY0008L121 / HIN KAY0009L121 / HIN KAY0010L121 / HIN KAY0011L121 / HIN KAY0012L121 / HIN KAY0013L121 / HIN KAY0014L121 / HIN KAY0015L121 / HIN KAY0016L121 / HIN KAY0017L121 / HIN KAY0018L121 / HIN KAY0019L121 / HIN KAY0020L121 / HIN KAY0021L121 / HIN KAY0022L121 / HIN KAY0023L121 / HIN KAY0024L121 / HIN KAY0025L121 / HIN KAY0026L121 / HIN KAY0027L121 / HIN KAY0028L121 / HIN KAY0029L121 / HIN KAY0030L121 / HIN KAY0031L121 / HIN KAY0032L121 / HIN KAY0033L121 / HIN KAY0034L121 / HIN KAY0035L121 / HIN KAY0036L121 / HIN KAY0037L121 / HIN KAY0038L121 / HIN KAY0039L121 / HIN KAY0040L121 / HIN KAY0041L121 / HIN KAY0042L121 / HIN KAY0043L121 / HIN KAY0044L121 / HIN KAY0045L121